Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 22, October 3, 2013

For the Period September 24 to 30, 2013

Seventy-nine per cent of the 2013 crop is now combined, according to Saskatchewan Agriculture's weekly Crop Report. Significant rainfall recorded last week slowed harvest progress in most areas of the province. Fifteen per cent is swathed or is ready to straight-cut. The five-year average (2008-2012) for this time of year is 74 per cent combined and 18 per cent swathed or ready to straight-cut.

One year ago

Ninety-seven per cent of the 2012 crop had been combined. Seventy-four per cent of the flax had been combined.

Follow the 2013 Crop Report on Twitter @SKGovAg

Harvest progress is most advanced in the west-central region, where 95 per cent of the crop is combined. Seventy-two per cent is combined in the southeast; 85 per cent in the southwest; 68 per cent in the east-central region; 74 per cent in the northeast and 88 per cent in the northwest.

Harvest Progress in SK Per cent combined All Crops	
Sept 30/13	79
5 year avg. (2008-2012)	74
Oct 2/12	97
Sept 27/11	91
Sept 28/10	30
Sept 29/09	72
Sept 28/08	82

Rainfall throughout the province ranged from nil to 81 mm. Many areas received over 35 mm of rain, and heavy precipitation was reported in the southwestern, east-central and northeastern regions. Many areas in the southwestern, southeastern and east-central regions have been experiencing rain delays for a couple of weeks.

Saskatchewan Harvest September 30, 2013 % combined	
Winter wheat	98
Fall rye*	99
Spring wheat	78
Durum	83
Oats**	65
Barley	86
Canola	78
Mustard	88
Lentils	97
Peas	99
Chickpeas	30
Canaryseed	38
Flax	21
*includes five per cent 'other'	
**includes one per cent 'other'	

Across the province, topsoil moisture on cropland is rated as five per cent surplus, 65 per cent adequate, 19 per cent short and 11 per cent very short. Topsoil moisture on hay and pasture land is rated as two per cent surplus, 63 per cent adequate, 24 per cent short and 11 per cent very short.

Pasture conditions are rated as nine per cent excellent, 43 per cent good, 29 per cent fair, 16 per cent poor and three per cent very poor.

Rain and strong winds caused the majority of the crop damage. The rain has resulted in bleaching and sprouting of some cereal crops. Wind has caused some shattering losses in swathed canola and ripe crops.

Farmers are busy combining, hauling bales and completing fall weed control operations.

For further information, contact Daphne Cruise, PAg,
Regional Crop Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-848-2856, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Seventy-two per cent of the crop is harvested and 15 per cent is swathed or ready to straight-cut. More rain this past week has delayed harvest. Areas in crop districts 1A and 1B received little rain; however, crops are drying slowly due to previous rain showers. With the recent rain delays, most producers are indicating 10 more days are needed to finish harvest, although some producers are nearing the end. The spring wheat crop is between 30 to 95 per cent combined; durum 30 to 100 per cent; barley and canola 20 to 100 per cent; and lentils 40 to 100 per cent.

Rainfall ranged from nil to 58 mm (Caron area). Most areas reported more than 15 mm of rain. Topsoil moisture conditions on cropland are rated as 12 per cent surplus, 80 per cent adequate, six per cent short and two per cent very short. Hay land and pasture moisture is rated as three per cent surplus, 66 per cent adequate, 25 per cent short and six per cent very short.

Yields for the region are reported to be average to above-average. Yields vary, depending on seeding conditions and growing season moisture. Strong winds, heavy rain and frost caused damage to crops this week. Localized flooding was also reported in some areas. There are concerns that the recent rain has caused bleaching and downgrading. Winter cereals have started to emerge.

Pasture conditions are rated as six per cent excellent, 61 per cent good, 27 per cent fair and six per cent poor.

Producers are busy harvesting and hauling bales.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

The region now has 85 per cent of the crop combined and eight per cent swathed or ready to straight-cut. Most areas of the region recorded rain over the past week, slowing harvest progress. The amount of rain ranged from 2 to 80 mm (Eyebrow area). The spring wheat and mustard crops are between 50 to 100 per cent combined; durum and barley 40 to 100 per cent and canola 80 to 100 per cent. Crop districts 3ASW and 3BS have received rain over the last couple of weeks and so harvest progress is slow.

Cropland topsoil moisture is rated as six per cent surplus, 78 per cent adequate, eight per cent short and eight per cent very short. Hay land and pasture topsoil moisture is rated as four per cent surplus, 85 per cent adequate, eight per cent short and three per

cent very short. Crop District 4B is reporting that 33 per cent of the cropland, hay land and pasture land is very short of topsoil moisture.

Pasture conditions are rated as 23 per cent excellent, 52 per cent good, 15 per cent fair and 10 per cent poor.

Crop yields vary, depending on seeding conditions and growing season moisture. Crop damage this week was caused by rain and strong winds. There are concerns of downgrading caused by bleaching and sprouting of crops from the rain. Strong winds blew some canola swaths around. Some farmers are wrapping up harvest operations, while the majority will need at least a week to 10 days of warm and dry weather. Winter wheat crops are emerging. Farmers are busy harvesting, baling straw and hauling bales.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Sixty-eight per cent of the crop is now in the bin, while 27 per cent is swathed or ready to straight-cut. Rain, ranging from 8 to 81 mm (Craik area) over the past week, has slowed harvest progress. Many areas reported over 35 mm of rain.

Nineteen per cent of the total crop is in the swath. Twenty-nine per cent of the canola is in the swath. The spring wheat and barley crops are between 40 to 100 per cent combined; canola 20 to 100 per cent; and flax 0 to 60 per cent.

Cropland topsoil moisture is rated as six per cent surplus, 82 per cent adequate, 10 per cent short and two per cent very short. Hay land and pasture topsoil moisture is rated as two per cent surplus, 75 per cent adequate, 20 per cent short and three per cent very short. Although rain at this time of year slow harvest operations, producers in some areas – particularly Crop District 6A – are relieved to have received the moisture as soil and pasture conditions were very dry.

Pasture conditions are rated as one per cent excellent, 29 per cent good, 49 per cent fair, 18 per cent poor and three per cent very poor.

Yields vary, depending on seeding conditions and growing season moisture. Strong winds and bleaching of swathed crops from the rain are the sources of crop damage this week. Farmers are busy harvesting, baling straw and hauling bales.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7 – Rosetown, Kindersley, Eston, Major, Kerrobert, Macklin, Wilkie and Biggar areas)

The west-central region is the most advanced area of the province, with 95 per cent of the crop combined and four per cent swathed or ready to straight-cut. Crop districts 7A and 7B recorded very little rain and so combines continued to roll in those areas. Rain ranged from nil to 62 mm (Hanley area). The spring wheat crop is between 90 to 100 per cent combined; oats 50 to 100 per cent; barley 40 to 100 per cent; canola 80 to 100 per cent and flax 10 to 100 per cent. Flax and canaryseed crops are being combined. Many farmers have completed harvest and others hope to finish within the week.

With some areas receiving very little rain, topsoil moisture conditions continue to deteriorate and are rated as 16 per cent adequate, 37 per cent short and 47 per cent very short on cropland. Hay land and pasture topsoil moisture conditions are rated as 22 per cent adequate, 30 per cent short and 48 per cent very short. Many areas in the region have not received a significant rainfall in over a month. Crop districts 7A and 7B are reporting over 40 per cent of the cropland, hay land and pasture is very short of topsoil moisture. Crop and combine fires have been reported in many areas.

Pasture conditions are rated as three per cent excellent, 13 per cent good, 43 per cent fair, 28 per cent poor and 13 per cent very poor.

The majority of the crop damage was caused by strong winds (of up to 80 km per /hour) that damaged some swathed crops. Producers are busy finishing harvest, working fields and starting fall weed control.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Significant harvest progress was being made in the region until rain brought combines to a halt. Seventy-four per cent of the crop is now in the bin and 23 per cent is swathed or is ready to straight-cut. The spring wheat crop is between 60 to 100 per cent combined; oats 20 to 100 per cent; barley 70 to 100 per cent and canola 35 to 85 per cent. Twenty-nine per cent of the canola is in the swath. A couple of weeks of dry weather will be needed to get the majority of the crop in the bin.

Rainfall in the region ranged from 14 to 39 mm (Porcupine Plain area). Crop yields vary, depending on seeding conditions and growing season moisture. Topsoil moisture on cropland is rated as one per cent surplus, 76 per cent adequate and 23 per cent short. Topsoil moisture on hay land and pasture is reported as two per cent surplus, 78 per cent adequate and 20 per cent short.

Pasture conditions are rated as seven per cent excellent, 50 per cent good, 33 per cent fair and 10 per cent poor. Strong winds caused some canola swaths to blow. Producers are busy harvesting, hauling hay and spraying.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Good harvest progress was made in the region, and 88 per cent of the 2013 crop is now combined. Ten per cent is swathed or ready to straight-cut. Areas on the eastern side of the region recorded significant rain, but many combines were still able to get back into the field within a day or so. Rainfall ranged from nil to 21 mm (Duck Lake area). The wheat crop is between 70 to 100 per cent combined; oats 50 to 100 per cent; barley 60 to 100 per cent and canola 50 to 100 per cent. Above-average yields and good quality are being reported in the majority of the region.

Yields vary, depending on seeding conditions and growing season moisture. Many farmers are expecting to finish harvest in the next week or so.

The region continues to miss the majority of the past several weeks' rain showers. Very dry soil conditions are being reported, and pasture productivity has declined. Some cattle are already being moved home from pasture, and there are reports of a few cattle producers hauling water to cattle. Pasture conditions are rated as 24 per cent good, 18 per cent fair, 47 per cent poor and 11 per cent very poor.

Topsoil moisture on cropland is rated as 23 per cent adequate, 63 per cent short and 14 per cent very short. Topsoil moisture on hay land and pasture is reported as 25 per cent adequate, 55 per cent short and 20 per cent very short. Very little crop damage was reported in the region, although some areas received a light frost. Producers are busy harvesting, controlling fall weeds, baling straw and hauling bales.

Saskatchewan Harvest Progress September 30, 2013

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined
southeast	0	0	1	99
southwest	0	0	0	100
east central	0	0	1	99
west central	0	0	1	99
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
province	**0**	**0**	**1**	**99**

Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined
southeast	15	14	10	61
southwest	5	3	11	81
east central	5	10	17	68
west central	1	1	4	94
northeast	2	4	13	81
northwest	2	1	4	93
province	**6**	**6**	**10**	**78**

Durum	% Standing	% in swath	% ready to straight combine	% combined
southeast	9	2	6	83
southwest	5	1	13	81
east central	4	12	20	64
west central	1	0	2	97
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
province	**5**	**2**	**10**	**83**

Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	25	22	2	50	1
southwest	11	4	5	62	18
east central	8	25	13	54	0
west central	4	6	3	84	3
northeast	5	11	17	67	0
northwest	7	5	5	81	2
province	**9**	**16**	**10**	**64**	**1**

Barley	% Standing	% in swath	% ready to straight combine	% combined
southeast	10	8	2	80
southwest	6	1	5	88
east central	3	12	7	78
west central	1	1	4	94
northeast	2	4	6	88
northwest	5	4	2	89
province	**4**	**5**	**5**	**86**

Lentils	% Standing	% in swath	% ready to straight combine	% combined
southeast	3	0	1	96
southwest	1	0	1	98
east central	2	0	2	96
west central	0	0	2	98
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
province	**2**	**0**	**1**	**97**

Peas	% Standing	% in swath	% ready to straight combine	% combined
southeast	1	0	1	98
southwest	0	0	0	100
east central	1	0	0	99
west central	0	0	0	100
northeast	0	0	0	100
northwest	0	0	0	100
province	**0.3**	**0**	**0.2**	**99**

Canola	% Standing	% in swath	% ready to straight combine	% combined
southeast	4	19	0	77
southwest	1	3	0	96
east central	1	30	1	68
west central	0	2	0	98
northeast	0	29	3	68
northwest	1	17	0	82
province	**1**	**20**	**1**	**78**

Mustard	% Standing	% in swath	% ready to straight combine	% combined
southeast	1	4	27	68
southwest	3	1	2	94
east central	N/A	N/A	N/A	N/A
west central	2	10	8	80
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
province	**2**	**4**	**6**	**88**

Flax	% Standing	% in swath	% ready to straight combine	% combined
southeast	58	5	14	23
southwest	59	1	18	22
east central	56	12	22	10
west central	25	9	15	51
northeast	62	20	5	13
northwest	15	5	10	70
province	**56**	**7**	**16**	**21**

Chickpeas	% Standing	% in swath	% ready to straight combine	% combined
southeast	N/A	N/A	N/A	N/A
southwest	74	0	5	21
east central	N/A	N/A	N/A	N/A
west central	N/A	N/A	N/A	N/A
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending September 30, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: October 2, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period September 24 to 30, 2013

Crop Dist.	R.M. No.		Name	Past Week	Since 1-Apr
1A	2		Mount Pleasant	4	423
	3		Enniskillen	6	463
	33		Moose Creek	N/A	292
	34		Browning	N/A	290
	61		Antler	N/A	574
	63		Moose Mountain	N/A	439
	64		Brock	N/A	294
	65		Tecumseh	4	401
1B	91		Maryfield	18	346
	92		Walpole	N/A	80
	122		Martin	35	483
	123		Silverwood	20	344
	124		Kingsley	22	249
	125	A	Chester	8	283
	125	B	Chester	6	264
	151	A	Rocanville	16	303
	151	B	Rocanville	6	269
	153		Willowdale	N/A	N/A
	154		Elcapo	N/A	287
	155	A	Wolseley	1	280
	155	B	Wolseley	N/A	240
2A	67		Weyburn	N/A	314
	68		Brokenshell	NIL	352
	97		Wellington	1	218
	99		Caledonia	N/A	N/A
2B	127	A	Francis	N/A	303
	127	B	Francis	2.5	259
	129		Bratt's Lake	7	253
	131	A	Baildon	30	399
	131	B	Baildon	N/A	332
	156	A	Indian Head	5	303
	156	B	Indian Head	N/A	392
	160	A	Pense	30	348
	160	B	Pense	26	314
	161		Moose Jaw	41	395
	162		Caron	58	341
	191		Marquis	52	233
3ASE	38	A	Laurier	NIL	384
	38	B	Laurier	NIL	296
	39	A	The Gap	NIL	375
	39	B	The Gap	2	338
3ASW	10		Happy Valley	8	258
	11		Hart Butte	N/A	205
	12		Poplar Valley	N/A	367
	40	A	Bengough	9	384
	40	B	Bengough	N/A	541
	42		Willow Bunch	10	363
	43	A	Old Post	3	387
	43	B	Old Post	N/A	N/A
	70		Key West	N/A	84
	71		Excel	N/A	208
	72	A	Lake of the Rivers	N/A	N/A
	72	B	Lake of the Rivers	N/A	135
	73	A	Stonehenge	24.1	433
	73	B	Stonehenge	N/A	360
	74	A	Wood River	28	387
	74	B	Wood River	N/A	N/A
	74	C	Wood River	N/A	N/A
3AN	101		Terrell	15	275
	102		Lake Johnston	23	252
	103	A	Sutton	52	343
	103	B	Sutton	N/A	N/A
	132	A	Hillsborough	40	350
	132	B	Hillsborough	55	382
	134		Shamrock	N/A	284
	164	A	Chaplin	N/A	235
	164	B	Chaplin	N/A	N/A
	193	A	Eyebrow	71	319
	193	B	Eyebrow	80	370
	194		Enfield	N/A	N/A
	224		Maple Bush	75	286
3BS	17	A	Val Marie	40	478
	17	B	Val Marie	N/A	N/A
	45		Mankota	45	491
	75	A	Pinto Creek	N/A	328
	75	B	Pinto Creek	N/A	267
	76		Auvergne	25	322
	77		Wise Creek	40	425
	78	A	Grassy Creek	31	436
	78	B	Grassy Creek	42	377
	105		Glenbain	38	366
	106		Whiska Creek	32	297
	107	A	Lac Pelletier	N/A	262
	107	B	Lac Pelletier	N/A	44
	108		Bone Creek	39	427
3BN	138	A	Webb	38	353
	138	B	Webb	N/A	287
	166	A	Excelsior	71	351
	166	B	Excelsior	N/A	N/A
	167		Sask. Landing	32.2	281
	168	A	Riverside	N/A	245
	168	B	Riverside	2.2	290
	226	A	Victory	N/A	175
	226	B	Victory	N/A	30
	228		Lacadena	10	227
	255		Coteau	N/A	167
	257		Monet	20	297
4A	19		Frontier	N/A	N/A
	49		White Valley	N/A	303
	51	A	Reno	11.4	302
	51	B	Reno	N/A	N/A
	79		Arlington	38	468
	109		Carmichael	N/A	356
	110		Piapot	10	330
	111		Maple Creek	N/A	334
4B	139		Gull Lake	23	284
	141		Big Stick	10	271
	142		Enterprise	N/A	283
	169		Pittville	N/A	249
	231		Happyland	2	170
5A	183	A	Fertile Belt	N/A	381
	183	B	Fertile Belt	N/A	321
	186		Abernethy	11	224
	211		Churchbridge	8	313
	213		Saltcoats	15	337
	214		Cana	N/A	25
	216		Tullymet	13	242
	217	A	Lipton	N/A	N/A
	241		Calder	14	329
	243		Wallace	N/A	295
	245	A	Garry	17	317
	245	B	Garry	9	267
	245	C	Garry	9	253
	246		Ituna Bon Accord	8	251
	247		Kellross	17	281
	248		Touchwood	N/A	191
5B	271		Cote	75	406
	273		Sliding Hills	27	243
	277		Emerald	30	280
	305		Invermay	34	366
	307		Elfros	38	286
	308	A	Big Quill	35	236
	308	B	Big Quill	25	271
	331		Livingston	39	369
	333		Clayton	N/A	39
	334		Preeceville	23	251
	336		Sasman	N/A	186
	337	A	Lakeview	N/A	265
	337	B	Lakeview	N/A	22
	338		Lakeside	31	281
	366		Kelvington	33	254
	367		Ponass Lake	N/A	225
6A	190	A	Dufferin	43	307
	190	B	Dufferin	24	246
	190	C	Dufferin	29	276
	190	D	Dufferin	N/A	42
	190	E	Dufferin	26	142
	219		Longlaketon	N/A	249
	220		Mckillop	27	337
	221		Sarnia	59	344
	222		Craik	72	419
	251		Big Arm	67	363
	252		Arm River	81	401
	279		Mount Hope	N/A	226
	282		McCraney	49	295
	309		Prairie Rose	52	329
	310		Usborne	N/A	N/A
	313		Lost River	N/A	239
	339		Leroy	41	323
	340		Wolverine	30	326
	341		Viscount	N/A	288
	343	A	Blucher	36	292
	343	B	Blucher	30	135
6B	283		Rosedale	N/A	214
	284		Rudy	55	281
	285		Fertile Valley	39	235
	286		Milden	N/A	214
	314		Dundurn	62	298
	344		Corman Park	12	161
	346		Perdue	6	223
	376	A	Eagle Creek	4	153
	376	B	Eagle Creek	1	188
	403	A	Rosthern	N/A	191
	403	B	Rosthern	16	246
7A	259		Snipe Lake	N/A	184
	260	A	Newcombe	N/A	105
	260	B	Newcombe	N/A	169
	261		Chesterfield	N/A	56
	287		St. Andrews	6	230
	288		Pleasant Valley	N/A	220
	290	A	Kindersley	4	194
	290	B	Kindersley	N/A	106
	290	C	Kindersley	N/A	207
	292		Milton	NIL	268
	317	A	Marriott	NIL	175
	317	B	Marriott	3	192
	317	C	Marriott	N/A	N/A
	318		Mountain View	NIL	259
	320	A	Oakdale	NIL	212
	320	B	Oakdale	NIL	208
	321		Prairiedale	NIL	165
7B	347	A	Biggar	2	185
	347	B	Biggar	N/A	246
	350	A	Manposa	NIL	135
	350	B	Manposa	NIL	235
	351		Progress	1	217
	352		Heart's Hill	4	319
	377		Glenside	NIL	194
	378	A	Rosemount	1	167
	378	B	Rosemount	3	222
	379		Reford	NIL	186
	381		Grass Lake	N/A	188
	382		Eye Hill	NIL	197
	409	A	Buffalo	N/A	250
	409	B	Buffalo	N/A	N/A
	410		Round Valley	N/A	164
	411		Senlac	N/A	N/A
8A	395		Porcupine	39	271
	397		Barrier Valley	N/A	206
	428		Star City	N/A	292
	456		Arborfield	36	291
	457		Connaught	N/A	284
	458		Willow Creek	25	249
	486		Moose Range	27	304
	487	A	Nipawin	15	255
	487	B	Nipawin	N/A	N/A
8B	369		St. Peter	26	235
	370		Humboldt	29	249
	371		Bayne	28	326
	372		Grant	14	361
	400	A	Three Lakes	N/A	3
	400	B	Three Lakes	N/A	291
	402		Fish Creek	15	278
	429		Flett's Springs	14	310
	431		St. Louis	N/A	N/A
	459		Kinistino	N/A	301
	460		Birch Hills	25.4	273
9AE	461		Prince Albert	N/A	22
	488		Torch River	21	335
	491		Buckland	20	348
9AW	406		Mayfield	3	200
	435		Redberry	19	232
	436		Douglas	NIL	202
	463		Duck Lake	21	293
	466		Meeting Lake	N/A	N/A
	467	A	Round Hill	5	314
	467	B	Round Hill	8	225
	494		Canwood	N/A	N/A
	496	A	Spiritwood	N/A	N/A
	496	B	Spiritwood	N/A	131
	497		Medstead	N/A	264
9B	438		Battle River	2	266
	440		Hillsdale	N/A	241
	442		Manitou Lake	0.5	317
	498	A	Parkdale	7	206
	498	B	Parkdale	2	197
	499	A	Mervin	3	307
	499	B	Mervin	N/A	24
	501	A	Frenchman Butte	N/A	304
	501	B	Frenchman Butte	NIL	260
	501	C	Frenchman Butte	NIL	239
	502	A	Britannia	N/A	N/A
	502	B	Britannia	NIL	210
	561		Loon Lake	NIL	212
	588	A	Meadow Lake	15	269
	588	B	Meadow Lake	NIL	309
	588	C	Meadow Lake	NIL	350
	588	D	Meadow Lake	NIL	293
	588	E	Meadow Lake	N/A	N/A
	622		Beaver River	NIL	239

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: September 30, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: October 2, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

October 1, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: October 2, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

October 1, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: October 2, 2013

© 2013 Government of Saskatchewan